


LTR	REVISION	DATE	APPD
-	RELEASED	09-27-05	



DIMENSIONS IN INCHES [MM]

1. ABSOLUTE MAXIMUM RATINGS (Ta=25°C)

ITEM	SYMBOL	RATINGS	UNIT
Forward Current (DC)	If	50	mA
Forward Current (Pulse)*1	Ifp	0.5	A
Reverse Voltage	VR		V
Power Dissipation	PD	120	mW
Operating Temp.	Topr	-20 TO 85	°C
Storage Temp.	Tstg	-30 TO 100	°C
Junction Temp.	T	100	°C
Lead Soldering Temp.*2	TIs	260	°C

Caution: Do not look directly into infrared light beams.
An IR camera is used to view IR LED illumination

*1:Tw=10uS,T=10mS

*2:Time 5 Sec max,Position:Up to 3mm from the body

2.ELECTRICAL & OPTICAL CHARACTERISTICS (Ta=25°C)


ITEM	SYMBOL	CONDITIONS	MIN	TYP	MAX	UNIT
Power Output	PO	If =20mA		4.5		mW
Forward Voltage	Vf	If =20mA		1.8	2.3	V
Reverse Current	Ir	VR=5V			100	µA
Peak Wavelength	λp	If =20mA		740		nm
Spectral Line Half Width	Δλ	If =20mA		30		nm
Half Intensity Beam Angle	2θ½	If =20mA		25		deg.
Rise Time	Tr	Ifp =20mA				nS
Fall Time	Tf	Ifp =20mA				nS
Junction Capacitance	C	1MHz ,V=0V		35		pF
Temp. Coefficient of PO	P/T	If =10mA		-0.6		%/°C
Temp. Coefficient of VF	V/T	If =10mA		-1.9		mV/°C

LED
LEDTRONICS INC
23105 KASHIWA COURT
TORRANCE, CA 90505


-PROPRIETARY-
This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.
.XXX ± .010 TOLERANCE PER ANSI-Y14.5
.XX ± .025 (UNLESS OTHERWISE STATED)
ANGLES ± 0°,30'
FRACT. ± 1/32

TITLE					
L120CWIR730-50D					
DWG NO	SCALE	SHEET	DATE		
DSDC0363	2:1	1 OF 2	09-27-05		
CODE IDENT NO.	DWG BY	CHK BY	QA PL	MFG GZ	CUSTOMER
8Z410	RM		09-27-05	09-28-05	


FORWARD I-V CHARACTERISTICS




RELATIVE POWER vs FORWARD CURRENT




RADIATION PATTERN





THERMAL DERATING CURVE



POWER OUTPUT vs TEMPERATURE
IF = 10mA



FORWARD VOLTAGE vs TEMPERATURE
IF = 10mA



LED
LEDTRONICS INC
23105 KASHIWA COURT
TORRANCE, CA 90505

-PROPRIETARY-
This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5 (UNLESS OTHERWISE STATED)
.XX ± .025
ANGLES ± 0°, 30'
FRACT. ± 1/32

TITLE L120CWIR730-50D							
DWG NO DSDC0363-A		SCALE 2:1		SHEET 2 OF 2		DATE 09-27-05	
CODE IDENT NO. 8Z410	DWG BY RM	CHK BY	QA	MFG	CUSTOMER		